

CERTIFIKAT

CERTIFICATE



**GODKENDT
TIL DRİKKEVAND**

Dette certifikat er udstedt i henhold til bekendtgørelse nr. 1007 af 29. juni 2016 om markedsføring og salg af byggevarer i kontakt med drikkevand. Certifikatet giver godkendelsesindehaveren rettighed til at markedsføre og sælge nedenstående byggevarer i Danmark og til at mærke byggevareren med "Godkendt til drikkevand"-mærkningen.

This certificate is issued according to Executive Order no. 1007 of 29 June 2016 on the placement on the market and sale of building components that come into contact with drinking water. The certificate gives the approval holder the rights to market and sell the following building component in Denmark and to mark the building component with the "Godkendt til drikkevand" marking.

GODKENDELSE NR. / APPROVAL NO.:

03/00112

UDSTEDT / DATE OF ISSUE:

06-10-2022

UDLØBER / EXPIRY DATE:

19-03-2026

GODKENDELSESINDEHAVER / APPROVAL HOLDER:

CVR-nummer 87562018

JCH A/S

Karetmagervej 21

7100 Vejle

DK, Denmark

BYGGEVARE / BUILDING COMPONENT:

JCH Kontrollerbar kontraventiler Type 2290 og 2294



BETINGELSER FOR GODKENDELSE:

De nærmere betingelser og vilkår for godkendelsen er fastsat i bekendtgørelse nr. 1007 af 29. juni 2016 om markedsføring og salg af byggevarer i kontakt med drikkevand. Endvidere henvises til godkendelsesbrev af 12-09-2022 om godkendelse af ovennævnte byggevarer i kontakt med drikkevand og eventuelle senere ændringer til godkendelsesbrevet fremsendt til godkendelsesindehaver.

Markedsføring og salg af byggevareren efter nærværende godkendelse omfatter de versioner af byggevareren, der er opført i bilaget, og den variantproduktion, der er angivet i bilaget.

CONDITIONS OF APPROVAL:

The detailed terms and conditions of approval are laid down in Executive Order no. 1007 of 29 June 2016 on the placement on the market and sale of building components in contact with drinking water. See also the approval letter of 12-09-2022 on the approval of the above-mentioned building component in contact with drinking water, and any subsequent amendments to the approval letter submitted to the approval holder.

Marketing and sale of the building component under this approval include the versions of the building component listed in the Annex and the "on-demand" production specified in the Annex.

CERTIFIKATET ER UDSTEDT AF:

THE CERTIFICATE IS ISSUED BY:

Bolig- og Planstyrelsen

Danish Housing and Planning Authority

Carsten Niebuhrs Gade 43

1577 København V

Mail: GDV@tbst.dk

Web: www.tbst.dk

København, den 12-09-2022

BILAG / ANNEX

GODKENDELSE NR. / APPROVAL NO.:

03/00112

VERSIONER AF BYGGEVAREN OMFATTET AF GODKENDELSEN: VERSIONS OF THE BUILDING COMPONENT COVERED BY THE APPROVAL:

OVERORDNEDE INFORMATIONER OM BYGGEVAREN GENERAL INFORMATION ABOUT THE BUILDING COMPONENT

BYGGEVAREN:
BUILDING COMPONENT:

JCH Kontrollerbar kontraventiler Type 2290 og 2294

VERSIONER VERSIONS

| VARETEKST: ITEM TEXT: | DN: DN: | Dimension: Dimension: | Varenummer: Item No.: |
|--|-------------------|---------------------------------|---------------------------------|
| Type 2290 | | | |
| 3/8" kontrollerbar kontraventil med muffer | 10 | 3/8" | 430327-003 |
| 1/2" kontrollerbar kontraventil med muffer | 15 | 1/2" | 430327-004 |
| 3/4" kontrollerbar kontraventil med muffer (testversion) | 20 | 3/4" | 430327-006 |
| 1" kontrollerbar kontraventil med muffer | 25 | 1" | 430327-008 |
| 1 1/4" kontrollerbar kontraventil med muffer | 32 | 1 1/4" | 430327-010 |
| 1 1/2" kontrollerbar kontraventil med muffer | 40 | 1 1/2" | 430327-011 |
| 2" kontrollerbar kontraventil med muffer | 50 | 2" | 430327-012 |

| | | | |
|--|----|------|----------|
| Type 2294 | | | |
| 12mm kontrollerbar kontra-ventil med klemrings tilslutning | 12 | 12mm | 2294-012 |
| 15mm kontrollerbar kontra-ventil med klemrings tilslutning | 15 | 15mm | 2294-015 |
| 18mm kontrollerbar kontra-ventil med klemrings tilslutning | 18 | 18mm | 2294-018 |
| 22mm kontrollerbar kontra-ventil med klemrings tilslutning | 22 | 22mm | 2294-022 |
| 28mm kontrollerbar kontra-ventil med klemrings tilslutning | 28 | 28mm | 2294-028 |

PRODUKTSPEKTER FOR OMFATTEDE VARIANTPRODUKTER

PRODUCT RANGE FOR "ON-DEMAND" VARIANTS INCLUDED

| | | |
|-------------------------|------------------------------|--------|
| DN DN | MINDSTE: SMALLEST: | 10 mm |
| | STØRSTE: LARGEST: | 50 mm |
| LÆNGDE LENGTH | MINDSTE: SMALLEST: | 51 mm |
| | STØRSTE: LARGEST: | 112 mm |
| ANDET OTHER | - | |
| ANDET OTHER | - | |