

# CERTIFIKAT

CERTIFICATE



**GODKENDT  
TIL DRIKKEVAND**

Dette certifikat er udstedt i henhold til bekendtgørelse nr. 1007 af 29. juni 2016 om markedsføring og salg af byggevarer i kontakt med drikkevand. Certifikatet giver godkendelsesindehaveren rettighed til at markedsføre og sælge nedenstående byggevarer i Danmark og til at mærke byggevarerne med "Godkendt til drikkevand"-mærkningen.

This certificate is issued according to Executive Order no. 1007 of 29 June 2016 on the placement on the market and sale of building components that come into contact with drinking water. The certificate gives the approval holder the rights to market and sell the following building component in Denmark and to mark the building component with the "Godkendt til drikkevand" marking.

**GODKENDELSE NR. / APPROVAL NO.:**

**03/00249**

**UDSTEDT / DATE OF ISSUE:**

**17-07-2024**

**UDLØBER / EXPIRY DATE:**

**16-07-2029**

**GODKENDELSESINDEHAVER / APPROVAL HOLDER:**

**VAT No.: DE261386362  
PCC GmbH  
Dusseldorfer Strasse 15  
71332 Waiblingen  
Germany**

**BYGGEVARE / BUILDING COMPONENT:**

**Press Inox M**



## BETINGELSER FOR GODKENDELSE:

De nærmere betingelser og vilkår for godkendelsen er fastsat i bekendtgørelse nr. 1007 af 29. juni 2016 om markedsføring og salg af byggevarer i kontakt med drikkevand. Endvidere henvises til godkendelsesbrev af 17-07-2024 om godkendelse af ovennævnte byggevarer i kontakt med drikkevand og eventuelle senere ændringer til godkendelsesbrevet fremsendt til godkendelsesindehaver.

Markedsføring og salg af byggevarerne efter nærværende godkendelse omfatter de versioner af byggevarerne, der er opført i bilaget, og den variantproduktion, der er angivet i bilaget.

## CONDITIONS OF APPROVAL:

The detailed terms and conditions of approval are laid down in Executive Order no. 1007 of 29 June 2016 on the placement on the market and sale of building components in contact with drinking water. See also the approval letter of 17-07-2024 on the approval of the above-mentioned building component in contact with drinking water, and any subsequent amendments to the approval letter submitted to the approval holder. Marketing and sale of the building component under this approval include the versions of the building component listed in the Annex and the "on-demand" production specified in the Annex.

## CERTIFIKATET ER UDSTEDT AF:

THE CERTIFICATE IS ISSUED BY:

### Social- og Boligstyrelsen

Danish Authority of Social Services and Housing

Holmens kanal 22,

1060 København K

Mail: [GDV@sbst.dk](mailto:GDV@sbst.dk)

Web: [www.sbst.dk](http://www.sbst.dk)

København, den 17-07-2024

# BILAG / ANNEX

GODKENDELSE NR. / APPROVAL NO.:

03/00249

## VERSIONER AF BYGGEVAREN OMFATTET AF GODKENDELSEN: VERSIONS OF THE BUILDING COMPONENT COVERED BY THE APPROVAL:

### OVERORDNEDE INFORMATIONER OM BYGGEVAREN

GENERAL INFORMATION ABOUT THE BUILDING COMPONENT

BYGGEVAREN:  
BUILDING COMPONENT:

**Press Inox M**

### VERSIONER VERSIONS

ARTIKEL: ARTICLE:	DISKRIPTION: DESCRIPTION:	VÆGT: WEIGHT:
120001515	Straight Coupling 15 x 15	0,034
120001818	Straight Coupling 18 x 18	0,042
120002222	Straight Coupling 22 x 22	0,050
120002828	Straight Coupling 28 x 28	0,068
120003535	Straight Coupling 35 x 35	0,091
120004242	Straight Coupling 42 x 42	0,127
120005454	Straight Coupling 54 x 54	0,197
120007676	Straight Coupling 76,1 x 76,1	0,600
120008888	Straight Coupling 88,9 x 88,9	0,784
1200108108	Straight Coupling 108 x 108	1,194
1201015012	Straight Male Adapter 15 x 1/2"	0,044
1201015034	Straight Male Adapter 15 x 3/4"	0,064

1201018012	Straight Male Adapter 18 x 1/2"	0,053
1201018034	Straight Male Adapter 18 x 3/4"	0,065
1201022012	Straight Male Adapter 22 x 1/2"	0,075
1201022034	Straight Male Adapter 22 x 3/4"	0,081
1201022100	Straight Male Adapter 22 x 1"	0,120
1201028034	Straight Male Adapter 28 x 3/4"	0,099
1201028100	Straight Male Adapter 28 x 1"	0,102
1201028114	Straight Male Adapter 28 x 1 1/4"	0,163
1201035100	Straight Male Adapter 35 x 1"	0,148
1201035114	Straight Male Adapter 35 x 1 1/4"	0,170
1201035112	Straight Male Adapter 35 x 1 1/2"	0,253
1201042114	Straight Male Adapter 42 x 1 1/4"	0,253
1201042112	Straight Male Adapter 42 x 1 1/2"	0,232
1201054112	Straight Male Adapter 54 x 1 1/2"	0,270
1201054200	Straight Male Adapter 54 x 2"	0,356
1201076212	Straight Male Adapter 76,1 x 2 1/2"	0,808
1201088300	Straight Male Adapter 88,9 x 3"	1,171
1202015012	Straight Female Adapter 15 x 1/2"	0,051
1202015034	Straight Female Adapter 15 x 3/4"	0,079
1202018012	Straight Female Adapter 18 x 1/2"	0,057
1202018034	Straight Female Adapter 18 x 3/4"	0,077
1202022012	Straight Female Adapter 22 x 1/2"	0,123
1202022034	Straight Female Adapter 22 x 3/4"	0,093
1202022100	Straight Female Adapter 22 x 1"	0,144
1202028034	Straight Female Adapter 28 x 3/4"	0,105
1202028100	Straight Female Adapter 28 x 1"	0,130
1202035100	Straight Female Adapter 35 x 1"	0,175
1202035114	Straight Female Adapter 35 x 1 1/4"	0,182

1202035112	Straight Female Adapter 35 x 1 1/2"	0,257
1202042114	Straight Female Adapter 42 x 1 1/4"	0,197
1202042112	Straight Female Adapter 42 x 1 1/2"	0,232
1202054112	Straight Female Adapter 54 x 1 1/2"	0,265
1202054200	Straight Female Adapter 54 x 2"	0,356
120401515	Sleeve Coupling 15 x 15	0,055
120401818	Sleeve Coupling 18 x 18	0,063
120402222	Sleeve Coupling 22 x 22	0,081
120402828	Sleeve Coupling 28 x 28	0,107
120403535	Sleeve Coupling 35 x 35	0,146
120404242	Sleeve Coupling 42 x 42	0,210
120405454	Sleeve Coupling 54 x 54	0,306
120407676	Sleeve Coupling 76,1 x 76,1	0,467
120408888	Sleeve Coupling 88,9 x 88,9	1,328
1204108108	Sleeve Coupling 108 x 108	1,860
1207015034	Flat Coupling 15 x 3/4"	0,081
1207018034	Flat Coupling 18 x 3/4"	0,083
1207022100	Flat Coupling 22 x 1"	0,139
1207028114	Flat Coupling 28 x 1 1/4"	0,186
1207035112	Flat Coupling 35 x 1 1/2"	0,265
1207042134	Flat Coupling 42 x 1 3/4"	0,360
1207054238	Flat Coupling 54 x 2 3/8"	0,460
1208015012	Male Union Coupling AG 15 x 1/2"	0,150
1208018012	Male Union Coupling AG 18 x 1/2"	0,165
1208022034	Male Union Coupling AG 22 x 3/4"	0,245
1208028100	Male Union Coupling AG 28 x 1"	0,394
1208035114	Male Union Coupling AG 35 x 1 1/4"	0,544
1208042112	Male Union Coupling AG 42 x 1 1/2"	0,647

1208054200	Male Union Coupling AG 54 x 2"	0,939
12100151515	Equal Tee 15 x 15 x 15	0,060
12100181818	Equal Tee 18 x 18 x 18	0,075
12100222222	Equal Tee 22 x 22 x 22	0,098
12100282828	Equal Tee 28 x 28 x 28	0,133
12100353535	Equal Tee 35 x 35 x 35	0,184
12100424242	Equal Tee 42 x 42 x 42	0,268
12100545454	Equal Tee 54 x 54 x 54	0,423
12100767676	Equal Tee 76,1 x 76,1 x 76,1	1,170
12100888888	Equal Tee 88,9 x 88,9 x 88,9	1,600
1210108108108	Equal Tee 108 x 108 x 108	2,353
12110181518	Reduced Tee 18 x 15 x 18	0,066
12110221522	Reduced Tee 22 x 15 x 22	0,089
12110221822	Reduced Tee 22 x 18 x 22	0,089
12110281528	Reduced Tee 28 x 15 x 28	0,118
12110281828	Reduced Tee 28 x 18 x 28	0,120
12110282228	Reduced Tee 28 x 22 x 28	0,127
12110351535	Reduced Tee 35 x 15 x 35	0,152
12110351835	Reduced Tee 35 x 18 x 35	0,156
12110352235	Reduced Tee 35 x 22 x 35	0,164
12110352835	Reduced Tee 35 x 28 x 35	0,174
12110422242	Reduced Tee 42 x 22 x 42	0,221
12110422842	Reduced Tee 42 x 28 x 42	0,227
12110423542	Reduced Tee 42 x 35 x 42	0,244
12110542254	Reduced Tee 54 x 22 x 54	0,322
12110542854	Reduced Tee 54 x 28 x 54	0,332
12110543554	Reduced Tee 54 x 35 x 54	0,364
12110544254	Reduced Tee 54 x 42 x 54	0,361

12110762276	Reduced Tee 76,1 x 22 x 76,1	0,928
12110762876	Reduced Tee 76,1 x 28 x 76,1	0,953
12110763576	Reduced Tee 76,1 x 35 x 76,1	0,968
12110764276	Reduced Tee 76,1 x 42 x 76,1	1,003
12110765476	Reduced Tee 76,1 x 54 x 76,1	1,005
12110885488	Reduced Tee 88,9 x 54 x 88,9	1,376
12110887688	Reduced Tee 88,9 x 76,1 x 88,9	1,498
121110854108	Reduced Tee 108 x 54 x 108	1,931
121110876108	Reduced Tee 108 x 76,1 x 108	2,058
121110888108	Reduced Tee 108 x 88,9 x 108	2,184
12120151215	Female Tee 15 x 1/2" x 15	0,077
12120181218	Female Tee 18 x 1/2" x 18	0,089
12120221222	Female Tee 22 x 1/2" x 22	0,102
12120223422	Female Tee 22 x 3/4" x 22	0,102
12120281228	Female Tee 28 x 1/2" x 28	0,124
12120283428	Female Tee 28 x 3/4" x 28	0,156
12120351235	Female Tee 35 x 1/2" x 35	0,170
12120353435	Female Tee 35 x 3/4" x 35	0,170
12120421242	Female Tee 42 x 1/2" x 42	0,221
12120423442	Female Tee 42 x 3/4" x 42	0,221
12120541254	Female Tee 54 x 1/2" x 54	0,352
12120543454	Female Tee 54 x 3/4" x 54	0,355
12120763476	Female Tee 76,1 x 3/4" x 76,1	0,950
12120883488	Female Tee 88,9 x 3/4" x 88,9	1,240
121210834108	Female Tee 108 x 3/4" x 108	1,830
122001515	Bend 90° 15 x 15	0,044
122001818	Bend 90° 18 x 18	0,054
122002222	Bend 90° 22 x 22	0,071

122002828	Bend 90° 28 x 28	0,096
122003535	Bend 90° 35 x 35	0,171
122004242	Bend 90° 42 x 42	0,245
122005454	Bend 90° 54 x 54	0,370
122007676	Bend 90° 76,1 x 76,1	1,000
122008888	Bend 90° 88,9 x 88,9	1,400
1220108108	Bend 90° 108 x 108	2,000
122101515	Bend 90° Ø 15 x 15	0,044
122101818	Bend 90° Ø 18 x 18	0,054
122102222	Bend 90° Ø 22 x 22	0,071
122102828	Bend 90° Ø 28 x 28	0,096
122103535	Bend 90° Ø 35 x 35	0,171
122104242	Bend 90° Ø 42 x 42	0,245
122105454	Bend 90° Ø 54 x 54	0,370
122107676	Bend 90° Ø 76,1 x 76,1	1,000
122108888	Bend 90° Ø 88,9 x 88,9	1,400
1221108108	Bend 90° Ø 108 x 108	2,000
122301515	Bend 45° 15 x 15	0,044
122301818	Bend 45° 18 x 18	0,054
122302222	Bend 45° 22 x 22	0,071
122302828	Bend 45° 28 x 28	0,096
122303535	Bend 45° 35 x 35	0,142
122304242	Bend 45° 42 x 42	0,195
122305454	Bend 45° 54 x 54	0,260
122307676	Bend 45° 76,1 x 76,1	0,800
122308888	Bend 45° 88,9 x 88,9	1,200
1223108108	Bend 45° 108 x 108	1,800
122401515	Bend 45° Ø 15 x 15	0,044

122401818	Bend 45° Ø 18 x 18	0,054
122402222	Bend 45° Ø 22 x 22	0,071
122402828	Bend 45° Ø 28 x 28	0,096
122403535	Bend 45° Ø 35 x 35	0,142
122404242	Bend 45° Ø 42 x 42	0,195
122405454	Bend 45° Ø 54 x 54	0,260
122407676	Bend 45° Ø 76,1 x 76,1	0,800
122408888	Bend 45° Ø 88 x 88	1,200
1224108108	Bend 45° Ø 108 x 108	1,800
1231015012	Male Elbow 90° 15 x 1/2"	0,088
1231018012	Male Elbow 90° 18 x 1/2"	0,098
1231022034	Male Elbow 90° 22 x 3/4"	0,143
1231028100	Male Elbow 90° 28 x 1"	0,239
1231035114	Male Elbow 90° 35 x 1 1/4"	0,374
1231042112	Male Elbow 90° 42 x 1 1/2"	0,422
1231054200	Male Elbow 90° 54 x 2"	0,719
1232015012	Female Elbow 90° 15 x 1/2"	0,120
1232018012	Female Elbow 90° 18 x 1/2"	0,117
1232022034	Female Elbow 90° 22 x 3/4"	0,180
1232028100	Female Elbow 90° 28 x 1"	0,335
1232035114	Female Elbow 90° 35 x 1 1/4"	0,421
1234015012	Wallplate 90° 15 x 1/2"	0,102
1234018012	Wallplate 90° 18 x 1/2"	0,111
1234022034	Wallplate 90° 22 x 3/4"	0,144
123501515	Male x Male Bend 90° Ø 15 x 15	0,088
123501818	Male x Male Bend 90° Ø 18 x 18	0,109
123502222	Male x Male Bend 90° Ø 22 x 22	0,133
123502828	Male x Male Bend 90° Ø 28 x 28	0,176



123503535	Male x Male Bend 90° Ø 35 x 35	0,364
123504242	Male x Male Bend 90° Ø 42 x 42	0,552
123505454	Male x Male Bend 90° Ø 54 x 54	0,952
123507676	Male x Male Bend 90° Ø 76,1 x 76,1	1,162
123508888	Male x Male Bend 90° Ø 88,9 x 88,9	1,362
1235108108	Male x Male Bend 90° Ø 108 x 108	1,926
123601515	Crossover Bend Ø 15 x Ø 15	0,075
123601818	Crossover Bend Ø 18 x Ø 18	0,101
123602222	Crossover Bend Ø 22 x Ø 22	0,132
123602828	Crossover Bend Ø 28 x Ø 28	0,201
123801515	Male x Male Bend 45° Ø 15 x 15	0,088
123802222	Male x Male Bend 45° Ø 22 x 22	0,133
123802828	Male x Male Bend 45° Ø 28 x 28	0,176
123803535	Male x Male Bend 45° Ø 35 x 35	0,364
123804242	Male x Male Bend 45° Ø 42 x 42	0,552
123805454	Male x Male Bend 45° Ø 54 x 54	0,952
123807676	Male x Male Bend 45° Ø 76,1 x 76,1	1,162
123808888	Male x Male Bend 45° Ø 88,9 x 88,9	1,362
1238108108	Male x Male Bend 45° Ø 108 x 108	1,926
1240015	Flange PN 16 - 15	0,580
1240018	Flange PN 16 - 18	0,586
1240022	Flange PN 16 - 22	0,791
1240028	Flange PN 16 - 28	1,099
1240035	Flange PN 16 - 35	1,710
1240042	Flange PN 16 - 42	2,095
1240054	Flange PN 16 - 54	2,834
1240076	Flange PN 16 - 76,1	3,329
1240088	Flange PN 16 - 88,9	4,139

1240108	Flange PN 16 - 108	5,035
1241015	End Cap 15	0,022
1241018	End Cap 18	0,027
1241022	End Cap 22	0,036
1241028	End Cap 28	0,048
1241035	End Cap 35	0,052
1241042	End Cap 42	0,109
1241054	End Cap 54	0,138
124301815	Male Reducer Ø 18 x 15	0,044
124302215	Male Reducer Ø 22 x 15	0,037
124302218	Male Reducer Ø 22 x 18	0,054
124302815	Male Reducer Ø 28 x 15	0,067
124302818	Male Reducer Ø 28 x 18	0,069
124302822	Male Reducer Ø 28 x 22	0,075
124303515	Male Reducer Ø 35 x 15	0,099
124303518	Male Reducer Ø 35 x 18	0,099
124303522	Male Reducer Ø 35 x 22	0,099
124303528	Male Reducer Ø 35 x 28	0,111
124304222	Male Reducer Ø 42 x 22	0,140
124304228	Male Reducer Ø 42 x 28	0,140
124304235	Male Reducer Ø 42 x 35	0,155
124305422	Male Reducer Ø 54 x 22	0,194
124305428	Male Reducer Ø 54 x 28	0,199
124305435	Male Reducer Ø 54 x 35	0,223
124305442	Male Reducer Ø 54 x 42	0,248
124307642	Male Reducer Ø 76,1 x 42	0,434
124307654	Male Reducer Ø 76,1 x 54	0,474
124308854	Male Reducer Ø 88,9 x 54	0,591

124308876	Male Reducer $\varnothing$ 88,9 x 76,1	0,660
124310854	Male Reducer $\varnothing$ 108 x 54	0,866
124310876	Male Reducer $\varnothing$ 108 x 76,1	0,971
124310888	Male Reducer $\varnothing$ 108 x 88,9	1,025
1245015012	Male Adapter Insert $\varnothing$ 15 x 1/2"	0,067
1245018012	Male Adapter Insert $\varnothing$ 18 x 1/2"	0,072
1245022034	Male Adapter Insert $\varnothing$ 22 x 3/4"	0,117
1246015012	Female Adapter Insert $\varnothing$ 15 x 1/2"	0,054
1246018012	Female Adapter Insert $\varnothing$ 18 x 1/2"	0,059
1246022012	Female Adapter Insert $\varnothing$ 22 x 1/2"	0,102
1246022034	Female Adapter Insert $\varnothing$ 22 x 3/4"	0,107
1246028100	Female Adapter Insert $\varnothing$ 28 x 1"	0,130